



《《 CATALOG 2020



Qingdao Guanyu Plastic Co.,Ltd


Add: No. 624 Qingshan Road, Qingdao, China

Tel: +86-532-87896789

Fax: +86-532-87896789

Email: sales@giscostorage.com

Website: <http://www.giscostorage.com>



WE PLACE
THE GLOBE IN ORDER

CONTENTS

INTRODUCTION **01**

STACK-N-NEST BINS **05**

SHELFULL **07** BINS SYSTEM

Shelfull Bins **07**

New Shelfull Bins **11**

Wire Shelving with Shelfull Bins **13**

Wire Shelving Carts with Shelfull Bins **14**

Cabinet with Shelfull Bins **15**

DENSITYMAX BINS SYSTEM **16**

Densitymax Bins **16**

Wire Shelving with Densitymax Bins **18**

Wire Shelving Carts with Densitymax Bins **19**

New Shelf Bins/ ESD Reel Bins **20**

Cabinet with Densitymax Bins **21**

STACK-N-HANG BINS SYSTEM **22**

Stack-N-Hang Bins **22**

Hang Bins **24**

Wire Shelving with Stack-N-Hang Bins **25**

Wire Shelving Carts with Stack-N-Hang Bins **26**

Wall Mounted Louvered Panels **27**

Hang Racks with Rails **30**

Picking Racks **31**

PLASTIC CONTAINERS SYSTEM **32**

Stack-N-Nest Attached Lid Containers **32**

Nest Containers **33**

Stack-N-Nest Containers **33**

Folding Containers **34**

Stackable Containers **36**

Ultra Quiet Platform Carts **38**

Container Dollies **40**


About Guanyu

Guanyu was established in Qingdao in 1997, started with plastic products wholesale business. With 20 years' continuous efforts and devotion in developing designing and manufacturing storage products, the company has been successfully transformed into a national leading provider for material handing and storage solutions.

We offer the comprehensive storage solutions in the key segments of plastic containers, shelving and racking systems, storage bins, plastic pallets and dollies, workshop equipments and OEM services across all industry.



Guanyu Commitment



In order to ensure and provide you the finest quality, all products are used with 100% virgin materials (without doping) in the whole process of production. Guanyu committed to all customers within 3 years from the date purchase or shipment, we will either repair or replace, at its discretion, for any defective products in material or workmanship free of charge.

Note: this manufacturer's warranty does not apply to any defect resulting from accident, misuse, modification, improper application and inadequate maintenance.


Technical Assistance



Cooperate with world renowned institutions and built a scientific research centre for analysis and testing of raw materials and studies for product intelligence, automation, information technology, system control and ensure to meet the modern development of storage technology.

R&D Capabilities

Guanyu possesses a professional and experienced team of R&D who has many years expertise in product design and manufacture.



Quality Control Management

Quality as our core value, we impose the strictest quality control system from the beginning stage of design till the end of production process. All production procedure and product testing methods are carried out in accordance with industrial practices and international standard.



Patents



Customers



Description

- ◆ Made of high-strength polypropylene with reinforced structure
- ◆ Stackable on each other or hangable on the louvered panel
- ◆ Nestable in each other to save space during transportation
- ◆ Available in 6 sizes and 3 colors: Red, Yellow and Blue



Specifications

Item No	Outer Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	N.W. (kg)	Load Capacity (kg)	Qty/ctn (pcs)	Qty/ctn (pcs)	Qty/ctn (pcs)
PK141008	104×136×76	4-1/10×5-3/8×3	0.056	3	24	2071	4769
PK191008	104×187×76	4-1/10×7-3/8×3	0.068	4	24	1500	3476
PK281010	104×276×101	4-1/10×10-7/8×4	0.135	8	16	1091	2564
PK281413	140×280×127	5-1/2×11×5	0.171	10	16	715	1680
PK372118	207×374×177	8-1/8×14-3/4×7	0.411	27	16	237	560
PK374218	418×374×177	16-1/2×14-3/4×7	0.804	35	8	238	560

Features



Produit Highlights

Hangable: full width lip, more secure fixing on panel, improves stability up to 3 times

Stackable: Built-in lockers design to prevent bins slide accidentally


Nestable: save up to 70% space while nested

Description

- ◆ Made of high-strength polypropylene with reinforced base and sides.
- ◆ Available in 18 sizes to store a wide range of different items.
- ◆ Shelfull bin can hold up to a maximum of 8 SKUs.
- ◆ Width and length dividers keep items neatly separated.
- ◆ Work with shelving system for optimal storage capacity.




NEW



Specifications

Item No	Dimension W×D×H(mm)	Dimension W×D×H(inch)	N.W. (kg)	Load Capacity (kg)	Hanging Load Capacity (kg)	Qty/ctn (pcs)	Accessory			Qty/20GP (ctn)	Qty/40HQ (ctn)
							Width divider	Length divider	Front plate		
SF3115	100×300×150	4×11-4/5×5-9/10	0.22	6	4	20	SFH115		SFF100	510	1272
SF3215	200×300×150	7-4/5×11-4/5×5-9/10	0.31	18	4	10	SFH215	SFV315	SFF200	510	1272
SF3415	400×300×150	15-3/4×11-4/5×5-9/10	0.56	27	4	5	SFH415	SFV315		510	1272
SF5115	100×500×150	4×19-7/10×5-9/10	0.32	11	4	20	SFH115		SFF100	305	762
SF5215	200×500×150	7-4/5×19-7/10×5-9/10	0.52	22	4	10	SFH215	SFV515	SFF200	305	762
SF5415	400×500×150	15-3/4×19-7/10×5-9/10	0.94	30	4	5	SFH415	SFV515		305	762
SF6115	100×600×150	4×23-3/5×5-9/10	0.43	13	4	20	SFH115		SFF100	271	636
SF6215	200×600×150	7-4/5×23-3/5×5-9/10	0.61	25	4	10	SFH215	SFV615	SFF200	271	636
SF6415	400×600×150	15-3/4×23-3/5×5-9/10	1.1	41	4	5	SFH415	SFV615		271	636
SF3120	100×300×200	4×11-4/5×7-4/5	0.32	10	4	20	SFH120		SFF100	510	1060
SF3220	200×300×200	7-4/5×11-4/5×7-4/5	0.41	20	4	10	SFH220	SFV320	SFF200	510	1060
SF3420	400×300×200	15-3/4×11-4/5×7-4/5	0.77	32	4	5	SFH420	SFV320		510	1060
SF5120	100×500×200	4×19-7/10×7-4/5	0.52	15	4	20	SFH120		SFF100	305	635
SF5220	200×500×200	7-4/5×19-7/10×7-4/5	0.69	29	4	10	SFH220	SFV520	SFF200	305	635
SF5420	400×500×200	15-3/4×19-7/10×7-4/5	1.2	35	4	5	SFH420	SFV520		305	635
SF6120	100×600×200	4×23-3/5×7-4/5	0.55	20	4	20	SFH120		SFF100	255	530
SF6220	200×600×200	7-4/5×23-3/5×7-4/5	0.86	33	4	10	SFH220	SFV620	SFF200	255	530
SF6420	400×600×200	15-3/4×23-3/5×7-4/5	1.4	51	4	5	SFH420	SFV620		255	530

Features



A Clear front plate




B Adhesive label area



C Stacking ribs



D Built-in rear hanglock



E Multiple dividers



F Trapezoidal design

Features



Suitable for label attachment

Width divider
for dividing the bin to 1/2, 1/3, 1/4, 1/6, 1/8



Arrow-shaped top design for easy assembly

Length divider
for dividing the bin to 1/2, 1/3, 1/4



Easy to clean

Clear front plate
allows easy access, visual identification and optimal storage capacity



How to use the front plate

Description

- ◆ EFFICIENT- Wide hopper front allows easy access
- ◆ NESTABLE-Shelf Bins nest when empty to conserve space
- ◆ INTENSIVE: The hanglock allows complete access to content when the bin tilted out on shelves, and improves the capacity by 35% - 40%
- ◆ Versatile-Sizes designed for standard shelving systems and many Vertical Carousel Automated Storage Retrieval Systems
- ◆ Variety-Available in 27 sizes and 3 colors:Red,Yellow and Blue



Features



Width divider
Available in dividing the bin to 1/2, 1/3, 1/4, 1/6, 1/8




Adhesive label place
Large label area for your option



Hanglock
Ensures bin hang on racks safely

Related products



Picking racks



Wire shelving



Storage cabinet

Specifications

Item No.	Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	N.W. (kg)	Qty/ctn (pcs)	Accessory	Qty/20GP (ctn)	Qty/40HQ (ctn)
					Width divider		
SF302815	280×300×150	11×11.625×5-9/10	0.48	8	SFH315	697	1693
SF602815	280×600×150	11×23-3/5×5-9/10	0.97	6	SFH315	394	956
SF452815	280×450×150	11×17-3/4×5-9/10	0.68	8	SFH315	469	1138
SF601015	105×600×150	4-1/10×23-3/5×5-9/10	0.5	16	SFH115-A	450	1093
SF602115	210×600×150	8-1/4×23-3/5×5-9/10	0.81	6	SFH215-A	562	1364
SF301020	105×300×200	4-1/10×11-4/5×7-4/5	0.29	16	SFH120-A	521	1266
SF301720	170×300×200	6-7/10×11-4/5×7-4/5	0.39	10	SFH720	556	1350
SF302120	210×300×200	8-1/4×11-4/5×7-4/5	0.44	8	SFH220-A	519	1260
SF302820	280×300×200	11×11-4/5×7-4/5	0.52	4	SFH320	762	1849
SF401020	105×400×200	4-1/10×15-3/4×7-4/5	0.37	8	SFH120-A	765	1858
SF401720	170×400×200	6-7/10×15-3/4×7-4/5	0.46	10	SFH720	418	1016
SF402120	210×400×200	8-1/4×15-3/4×7-4/5	0.6	8	SFH220-A	390	948
SF402820	280×400×200	11×15-3/4×7-4/5	0.75	4	SFH320	573	1392
SF405720	570×400×200	22-1/2×15-3/4×7-4/5	1.47	4	SFH620	289	703
SF451020	105×450×200	4-1/10×17-3/4×7-4/5	0.43	8	SFH120-A	670	1626
SF451720	170×450×200	6-7/10×17-3/4×7-4/5	0.5	10	SFH720	366	890
SF452120	210×450×200	8-1/4×17-3/4×7-4/5	0.61	8	SFH220-A	342	830
SF452820	280×450×200	11×17-3/4×7-4/5	0.79	4	SFH320	502	1218
SF454220	420×450×200	16-1/2×17-3/4×7-4/5	1.14	4	SFH420-A	343	834
SF455720	570×450×200	22-1/2×17-3/4×7-4/5	1.56	4	SFH620	253	615
SF458420	840×450×200	33×17-3/4×7-4/5	2.34	4	SFH820	174	422
SF601020	105×600×200	4-1/10×23-3/5×7-4/5	0.83	8	SFH120-A	260	632
SF601720	170×600×200	6-7/10×23-3/5×7-4/5	0.72	10	SFH720	279	677
SF602120	210×600×200	8-1/4×23-3/5×7-4/5	0.83	8	SFH220-A	260	632
SF602820	280×600×200	11×23-3/5×7-4/5	1	4	SFH320	382	928
SF604220	420×600×200	16-1/2×23-3/5×7-4/5	1.6	4	SFH420-A	261	635
SF605720	570×600×200	22-1/2×23-3/5×7-4/5	2	4	SFH620	193	469

Visual Management

- 1.Available in Red,Yellow,Blue,Green,White,Clear for easy management of parts picking.
- 2.Semi-open fronted design for easy access.

Intensive storage

- 1.The hanglock allows complete access to content when the shelfull bin tilted out on shelves,and improves the capacity by 35%-40%.
- 2.Compatible with shelving system.



Management of SKUs

The entire space of our shelfull bins can be divided up either horizontally or vertically by its optional dividers for the perfect SKU management on your application required.



Management during the production


Perfect use in parts storage management during the process of assembly or production. Recognition at glance of item assortments before and after the operation.

Design of Semi-open Front


Semi-open front is for easy access,and clear front plate keeps parts easily identified.



Space-efficient Storage System



Width



Depth



Height




Larger volume after using the front plate



Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Compatible with shefull bins to organize parts and increase efficiency.
- ◆ Adjustable shelves for your needs.
- ◆ Easy installation.



SFW300 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
SFW300	860×300×1800	33-9/10×11-4/5×70-4/5
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF3215	4
2	SF3215 + SF3415	2 + 1
3	SF3415	2
4	SF3115 + SF3215	4 + 2
5	SF3120 + SF3220	4 + 2
6	SF3220	4
7	SF3220 + SF3420	2 + 1
8	SF3420	2



SFW500 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
SFW500	860×500×1800	33-9/10×19-7/10×70-4/5
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF5215	4
2	SF5215 + SF5415	2 + 1
3	SF5415	2
4	SF5115 + SD5215	4 + 2
5	SF5120 + SF5220	4 + 2
6	SF5220	4
7	SF5220 + SF5420	2 + 1
8	SF5420	2

SFW600 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
SFW600	860×600×1800	33-9/10×23-3/5×70-4/5
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF6215	4
2	SF6215 + SF6415	2 + 1
3	6415	2
4	SF6115 + SF6215	4 + 2
5	SF6120 + SF5220	4 + 2
6	SF6220	4
7	SF6220 + SF6420	2 + 1
8	SF6420	2

Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Compatible with shefull bins to organize parts and increase efficiency.
- ◆ Adjustable shelves for your needs.
- ◆ Easy moving with castors.
- ◆ Easy installation.



WST300 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
WST300	860×300×1400	33-9/10×11-4/5×55-1/10
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF3215	4
2	SF3415	2
3	SF3220	4
4	SF3220 + SF3420	2 + 1
5	SF3420	2



WST500 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
WST500	860×500×1400	33-9/10×19-7/10×55-1/10
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF5215	4
2	SF5415	2
3	SF5220	4
4	SF5220 + SF5420	2 + 1
5	SF5420	2

WST600 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
WST600	860×600×1400	33-9/10×23-3/5×55-1/10
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF6215	4
2	SF6415	2
3	SF6220	4
4	SF6220 + SF6420	2 + 1
5	SF6420	2

Description

- ◆ Manufactured with high-grade steel with corrosion resistant & 150kg capacity per shelf
- ◆ Compatible with shefull bins to organize parts and increase efficiency
- ◆ Wide open doors for easy picking
- ◆ Adjustable shelves for your needs
- ◆ Easy installation



SFC300 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
SFC300	870×325×1750	34-1/4×12-4/5×68-9/10
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF3215	4
2	SF3215	4
3	SF3415	2
4	SF3415	2
5	SF3220	4
6	SF3220	4
7	SF3420	2
8	SF3420	2



SFC500 Specifications


Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
SFC500	870×525×1750	34-1/4×20-7/10×68-9/10
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF5215	4
2	SF5215	4
3	SF5415	2
4	SF5415	2
5	SF5220	4
6	SF5220	4
7	SF5420	2
8	SF5420	2

SFC600 Specifications

Item No	Dimensions(shelf) W×D×H(mm)	Dimension(shelf) W×D×H(inch)
SFC600	870×625×1750	34-1/4×24-3/5×68-9/10
Shelf No.	Bin Model	Bin Qty(pcs)
1	SF6215	4
2	SF6215	4
3	SF6415	2
4	SF6415	2
5	SF6220	4
6	SF6220	4
7	SF6420	2
8	SF6420	2

Description

- ◆ Made of high-strength polypropylene and easy to clean.
- ◆ Ideal for storage of small parts and components
- ◆ Stackable and compatible with wire shelving and racking system.
- ◆ Large label card for easy identification.
- ◆ Available in 12 sizes to store a wide range of different items.



Available in ESD

Specifications


Series	Item No.	Dimensions W×D×H(mm)	Dimensions W×D×H(inch)	N.W (kg)	Cap. (L)	Load Cap. (kg)	Stack load Cap.(kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HQ (ctn)
109	PK3109	117×300×90	4-3/5×11-4/5×3-1/2	0.302	2	2	6	48	196	476
	PK4109	117×400×90	4-3/5×15-7/10×3-1/2	0.374	2.7	3	9	24	294	714
	PK5109	117×500×90	4-3/5×19-7/10×3-1/2	0.473	3.5	4	12	24	236	571
	PK6109	117×600×90	4-3/5×23-3/5×3-1/2	0.549	4.2	5	15	24	196	476
209	PK3209	234×300×90	9-1/5×11-4/5×3-1/2	0.464	4.4	5	15	24	196	476
	PK4209	234×400×90	9-1/5×15-7/10×3-1/2	0.594	6	6	20	12	294	714
	PK5209	234×500×90	9-1/5×19-7/10×3-1/2	0.678	7.8	8	25	12	236	571
	PK6209	234×600×90	9-1/5×23-3/5×3-1/2	0.806	9.4	10	30	12	196	476
214	PK3214	234×300×140	9-1/5×11-4/5×5-1/2	0.568	7.1	7	20	16	185	450
	PK4214	234×400×140	9-1/5×15-7/10×5-1/2	0.699	9.9	8	25	8	278	675
	PK5214	234×500×140	9-1/5×19-7/10×5-1/2	0.910	12.6	9	27	8	222	539
	PK6214	234×600×140	9-1/5 ×23-3/5×5-1/2	1.028	15.4	10	30	8	196	476

Features



Description

- ◆ Chrome shelves with corrosion resistant &130kg capacity per shelf.
- ◆ Good appearance to make your worksite clean.
- ◆ Compatible with shelf bins to organize parts and increase efficiency.
- ◆ Adjustable shelves for your needs.
- ◆ Easy installation.




Specifications

Item No.	Dimensions(Shelf) W x D x H (mm)	Dimensions(Shelf) W x D x H (mm)	Bin Model	Bin Qty (pcs)	Shelf Qty
WSR11-3214	1050 x 270 x 1950	41-3/10 x 10-3/5 x 76-4/5	PK3214	40	10+1
WSR15-4214	1050 x 370 x 1950	41-3/10 x 14-3/5 x 76-4/5	PK4214	40	10+1
WSR19-5214	1050 x 470 x 1950	41-3/10 x 18-1/2 x 76-4/5	PK5214	40	10+1
WSR23-6214	1050 x 570 x 1950	41-3/10 x 22-2/5 x 76-4/5	PK6214	40	10+1
WSR11-3209	1050 x 270 x 1950	41-3/10 x 10-3/5 x 76-4/5	PK3209	56	14+1
WSR15-4209	1050 x 370 x 1950	41-3/10 x 14-3/5 x 76-4/5	PK4209	56	14+1
WSR19-5209	1050 x 470 x 1950	41-3/10 x 18-1/2 x 76-4/5	PK5209	56	14+1
WSR23-6209	1050 x 570 x 1950	41-3/10 x 22-2/5 x 76-4/5	PK6209	56	14+1
WSR11-3109	1050 x 270 x 1950	41-3/10 x 10-3/5 x 76-4/5	PK3109	112	14+1
WSR15-4109	1050 x 370 x 1950	41-3/10 x 14-3/5 x 76-4/5	PK4109	112	14+1
WSR19-5109	1050 x 470 x 1950	41-3/10 x 18-1/2 x 76-4/5	PK5109	112	14+1
WSR23-6109	1050 x 570 x 1950	41-3/10 x 22-2/5 x 76-4/5	PK6109	112	14+1
WSR11-3M	1050 x 270 x 1950	41-3/10 x 10-3/5 x 76-4/5	PK3109+PK3209+PK3214	32 + 20 + 16	13+1
WSR15-4M	1050 x 370 x 1950	41-3/10 x 14-3/5 x 76-4/5	PK4109+PK4209+PK4214	33 + 20 + 16	13+1
WSR19-5M	1050 x 470 x 1950	41-3/10 x 18-1/2 x 76-4/5	PK5109+PK5209+PK5214	34 + 20 + 16	13+1
WSR23-6M	1050 x 570 x 1950	41-3/10 x 22-2/5 x 76-4/5	PK6109+PK6209+PK6214	35 + 20 + 16	13+1



Features

- ◆ Chrome shelves with corrosion resistant &130kg capacity per shelf.
- ◆ Good appearance to make your worksite clean.
- ◆ Compatible with shelf bins to organize parts and increase efficiency.
- ◆ Adjustable shelves for your needs.
- ◆ Easy moving with castors.
- ◆ Easy installation.



Specifications

Item No.	Dimensions(Shelf) W x D x H (mm)	Dimensions(Shelf) W x D x H (mm)	Bin Model	Bin Qty (pcs)	Shelf Qty
WST11-3214	1050 x 270 x 1150	41-3/10 x 10-3/5 x 45-1/4	PK3214	20	5+1
WST15-4214	1050 x 370 x 1150	41-3/10 x 14-3/5 x 45-1/4	PK4214	20	5+1
WST19-5214	1050 x 470 x 1150	41-3/10 x 18-1/2 x 45-1/4	PK5214	20	5+1
WST23-6214	1050 x 570 x 1150	41-3/10 x 22-2/5 x 45-1/4	PK6214	20	5+1
WST11-3209	1050 x 270 x 1150	41-3/10 x 10-3/5 x 45-1/4	PK3209	28	7+1
WST15-4209	1050 x 370 x 1150	41-3/10 x 14-3/5 x 45-1/4	PK4209	28	7+1
WST19-5209	1050 x 470 x 1150	41-3/10 x 18-1/2 x 45-1/4	PK5209	28	7+1
WST23-6209	1050 x 570 x 1150	41-3/10 x 22-2/5 x 45-1/4	PK6209	28	7+1
WST11-3109	1050 x 270 x 1150	41-3/10 x 10-3/5 x 45-1/4	PK3109	56	7+1
WST15-4109	1050 x 370 x 1150	41-3/10 x 14-3/5 x 45-1/4	PK4109	56	7+1
WST19-5109	1050 x 470 x 1150	41-3/10 x 18-1/2 x 45-1/4	PK5109	56	7+1
WST23-6109	1050 x 570 x 1150	41-3/10 x 22-2/5 x 45-1/4	PK6109	56	7+1
WST11-3M	1050 x 270 x 1150	41-3/10 x 10-3/5 x 45-1/4	PK3109+PK3209+PK3214	16 + 8 + 8	6+1
WST15-4M	1050 x 370 x 1150	41-3/10 x 14-3/5 x 45-1/4	PK4109+PK4209+PK4214	16 + 8 + 8	6+1
WST19-5M	1050 x 470 x 1150	41-3/10 x 18-1/2 x 45-1/4	PK5109+PK5209+PK5214	16 + 8 + 8	6+1
WST23-6M	1050 x 570 x 1150	41-3/10 x 22-2/5 x 45-1/4	PK6109+PK6209+PK6214	16 + 8 + 8	6+1


Description

- ◆ Made of high-strength polypropylene and easy to clean.
- ◆ Ideal for storage of small parts and components.
- ◆ Large label card for easy identification.
- ◆ Compatible with wire shelving and racking system.

NEW SHELF BINS



Features



Specifications

Item No	Outer Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	N.W. (kg)	Load (kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HQ (ctn)
PK-4115	163×400×115	6-2/5×15-4/5×4-1/2	0.475	30	12	318	764
PK-4215	243×400×115	9-3/5×15-4/5×4-1/2	0.625	40	6	318	764

Description

- ◆ Made of ESD high-strength polypropylene.
- ◆ Eco-friendly,non-toxic,odorless,anti-corrosion
- ◆ Easy moving with comfortable handles
- ◆ Use with temperature of -25℃ to 40℃

ESD REEL BINS



Specifications


Item No	Outer Dimension W×D×H(mm)	Outer Dimension W×D×H(mm)	Dia of the reel (mm)	Qty of the reel (pcs)	Surface resistance
PKREEL-26	405×190×110	16×7-1/2×4-1/3	180	26	10 ⁶ Ω-10 ⁸ Ω
PKREEL-30	460×190×110	18-1/10×7-1/2×4-1/3	180	30	10 ⁶ Ω-10 ⁸ Ω

Description

- ◆ Manufactured from high-grade steel with corrosion resistant &150kg capacity per shelf.
- ◆ Compatible with shelf bins to organize parts and increase efficiency.
- ◆ Adjustable shelves for your needs.
- ◆ Heavy-duty steel for strength and durability.
- ◆ Easy installation.





Item No.	Dimension W×D×H(mm)	Item No.	Dimension W×D×H(mm)
PK3109	117×300×90	PK4109	117×400×90
PK3209	234×300×90	PK4209	234×400×90
PK3214	234×300×140	PK4214	234×400×140
PK5109	117×500×90	PK6109	117×600×90
PK5209	234×500×90	PK6209	234×600×90
PK5214	234×500×140	PK6214	234×600×140



CABINET WITH DENSITYMAX BINS									
Cabinet type	Item No.	Shelf Dimension W*D*H(mm)	Shelf Qty. (layer)	Bin Description					
				Item No.	Qty.	Item No.	Qty.	Item No.	Qty.
Without Door	MBCW300DM-12	1010×325×1750	12	PK3214	16	PK3209	20	PK3109	24
	MBCW400DM-12	1010×425×1750	12	PK4214	16	PK4209	20	PK4109	24
	MBCW500DM-12	1010×525×1750	12	PK5214	16	PK5209	20	PK5109	24
	MBCW600DM-12	1010×625×1750	12	PK6214	16	PK6209	20	PK6109	24
With Door	MBCD300DM-12	1010×350×1750	12	PK3214	16	PK3209	20	PK3109	24
	MBCD400DM-12	1010×450×1750	12	PK4214	16	PK4209	20	PK4109	24
	MBCD500DM-12	1010×550×1750	12	PK5214	16	PK5209	20	PK5109	24
	MBCD600DM-12	1010×650×1750	12	PK6214	16	PK6209	20	PK6109	24

Description

- ◆ Made of high-strength polypropylene with reinforced structure.
- ◆ Bins can be interlocked side by side.
- ◆ Stackable with riser rods or hangable on the louvered panel.
- ◆ Compatible with wire shelving and racking system.
- ◆ Available in 11 sizes and 3 colors:blue,red and yellow.





Specifications

Item No	Dimension W×D×H(mm)	Dimension W×D×H(inch)	N.W. (kg)	Load (kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HQ (ctn)
PK-001	100×160×74	4×6-3/10×2-9/10	0.12	3	50	576	1312
PK-002	150×240×124	5-9/10×9-2/5×4-4/5	0.28	8	36	176	436
PK-003	200×340×150	7-4/5×13-2/5×5-9/10	0.63	15	18	177	446
PK-004	200×450×175	7-4/5×17-7/10×6-9/10	0.79	30	12	168	396
PK-005	300×450×175	11-4/5×17-7/10×6-9/10	1.03	50	8	183	410



Description

- ◆ Made of high-strength polypropylene with reinforced structure.
- ◆ Each bins can be interlocked side by side.
- ◆ Stackable with riser rods or hangable on the louvered panel.
- ◆ Compatible with wire shelving & racking system.
- ◆ Available in 11 sizes and 3 colors:blue,red and yellow.





Specifications

Item No	Dimension W×D×H(mm)	Dimension W×D×H(inch)	N.W. (kg)	Load (kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HQ (ctn)
PK-006	107×185×77	4-1/5×7-3/10×3	0.14	4	64	336	785
PK-007	214×280×175	8-2/5×11×6-9/10	0.5	22	16	192	480
PK-008	214×370×175	8-2/5×14-3/5×6-9/10	0.69	27	8	292	709
PK-010	420×370×175	16-1/2×14-3/5×6-9/10	1.04	35	4	336	780
PK-021	280×350×184	11×13-3/4×7-1/4	0.89	30	8	201	512
PK-022	280×425×260	11×16-3/4×10-1/4	1.29	35	8	110	268
PK-023	365×450×180	14-2/5×47-1/4×7-1/10	1.2	50	8	129	315
PK6422	400×600×220	23-3/5×15-7/10×8-7/10	2	1.98	5	637	1400





Description

- ◆ Made of high-strength polypropylene with reinforced structure.
- ◆ Multiple bins nest nicely to conserve space.
- ◆ Built-in rear groove allows bin to hang on louvered panel.
- ◆ Compatible with louvered panel and tool cabinet.
- ◆ Available in 5 sizes and 3 colors:blue,red and yellow.




Specifications

Item No.	Dimension W×D×H(mm)	Dimension W×D×H(inch)	N.W. (kg)	Load (kg)	Qty/ctn (pcs)	Qty/20GP (ctn)	Qty/40HQ (ctn)
PK-011	105×110×50	4-1/10×4-3/10×2	0.06	3	24	2727	6483
PK-012	105×140×75	4-1/10×5-1/2×3	0.09	3	24	1768	4140
PK-013	105×190×75	4-1/10×7-1/2×3	0.11	4	24	1245	2908
PK-014	140×220×125	5-1/2×8-7/10×5	0.24	10	12	999	2367
PK-015	140×270×125	5-1/2×10-3/5×5	0.27	10	12	812	1968



Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Compatible with storage bins to organize parts and increase efficiency.
- ◆ Adjustable shelves for your needs.
- ◆ Easy installation.




Specifications

Item No.	Dimensions(Shelf) W x D x H (inch)	Dimensions(Shelf) W x D x H (mm)	Bin Model	Number Bins(pcs)	Dimensions (Bin) W x D x H (inch)	Dimensions (Bin) W x D x H (mm)	Layer Qty.
WSR4018-002	40 x 18 x 77	1016 x 457 x 1950	PK002	96	4-9/10 x 9-2/5 x 4-4/5	150 x 240 x 124	8+1
WSR3614-003	36 x 14 x 77	914 x 356 x 1950	PK003	32	7-4/5 x 13-2/5 x 5-9/10	200 x 340 x 155	8+1
WSR3618-004	36 x 18 x 77	914 x 457 x 1950	PK004	32	7-4/5 x 17-7/10 x 6-9/10	200 x 450 x 177	8+1
WSR4018-005	40 x 18 x 77	1016 x 457 x 1950	PK005	24	11-4/5 x 17-7/10 x 6-9/10	300 x 450 x 177	8+1
WSR3614-008	36 x 14 x 77	914 x 356 x 1950	PK008	32	8-2/5 x 14-3/5 x 6-9/10	214 x 370x 175	8+1
WSR3614-010	36 x 14 x 77	914 x 350 x 1950	PK010	16	16- 1/2 x 14-3/5 x 6-9/10	420 x 370 x 175	8+1



Description

- ◆ Chrome shelves with corrosion resistant & 130kg capacity per shelf.
- ◆ Compatible with storage bins to organize parts and increase efficiency.
- ◆ Adjustable shelves for your needs.
- ◆ Easy moving with castor.
- ◆ Easy installation.




Specifications

Item No.	Dimensions(Shelf) W x D x H (inch)	Dimensions(Shelf) W x D x H (mm)	Bin Model	Number Bins(pcs)	Dimensions (Bin) W x D x H (inch)	Dimensions (Bin) W x D x H (mm)	Layer Qty.
WST4018-002	40 x 18 x 45	1016 x 457 x 1150	PK002	48	6 x 9-7/16 x 4-7/8	150 x 240 x 124	4+1
WST3614-003	36 x 14 x 45	914 x 356 x 1150	PK003	16	7-7/8 x 13 -3/8 x 6	200 x 340 x 155	4+1
WST3618-004	36 x 18 x 45	914 x 457 x 1150	PK004	16	7-7/8 x 17-3/4 x 7	200 x 450 x 177	4+1
WST4018-005	40 x 18 x 45	1016 x 457 x 1150	PK005	12	11 x 17-3/4 x 7	300 x 450 x 177	4+1
WST3614-008	36 x 14 x 45	914 x 356 x 1150	PK008	18	8-7/16 x 14-9/16 x 7	214 x 370x 175	4+1
WST3614-010	36 x 14 x 45	914 x 350 x 1150	PK010	8	16-1/2 x 14-9/16 x 7	420 x 370 x 175	4+1



Description

- ◆ Manufactured from heavy-duty 16-gauge, cold-rolled steel.
- ◆ Various sizes with hanging bins to organize parts and increase efficiency.
- ◆ Can be mounted on the wall, benches and cabinet.
- ◆ Available to be placed on the floor with the stand.
- ◆ Available to move with casters.



GBR-3612
36"L×12"H 915mmL×305mmH

GBR-3619
36"L×19"H 915mmL×475mmH

GBR-1819
18"L×19"H 458mmL×475mmH



GLP-1819
18"L×19"H 458mmL×475mmH

GLP-3619
36"L×19"H 915mmL×475mmH

GLP-2721
27"L×21"H 686mmL×534mmH



GLP-3661
36"L×61"H 915mmL×1550mmH

GLP-1861
18"L×61"H 458mmL×1550mmH

GBR-2112
21"L×12"H 530mmL×305mmH

Description

- ◆ Choose the interested louvered panel according to your requirements
- ◆ Choose the interested storage bins on Page 19 to 20
- ◆ Check the bin quantity to match the louvered panel according to the below table

HOW TO CHOOSE THE RIGHT ITEMS?

Specifications

Item No.	Dimensions		Load capacity	Bin Qty to fit louvered panel and rack system								
	L × H (inch)	L × H (mm)		(kg)	PK006	PK007	PK008	PK010	PK011	PK012	PK013	PK014
GLP-1819/ GBR-1819	18 × 19	458 × 475	80	20	4	4	2	20	20	20	9	9
GLP-2721/ GBR-2721	27 × 21	686 × 534	80	30	9	9	-	30	30	30	-	-
GLP-3612/ GBR-3612	36 × 12	915 × 305	80	24	4	4	2	24	24	24	12	12
GLP-3619/ GLP-3619	36 × 19	915 × 475	80	40	8	8	4	40	40	40	18	18
GLP-1824	18 × 24	450 × 600	80	24	6	6	3	24	24	24	12	12
GLP-1861	18 × 61	458 × 1550	80	60	12	12	6	60	60	60	27	27
GLP-3661	36 × 61	915 × 1550	80	120	28	28	14	120	120	120	54	54
GBR-2112	21 × 12	530 × 305	80	15	-	-	-	15	15	15	-	-

Description

- ◆ Louvered Panels securely support hanging storage bins.
- ◆ Allow for fast, easy organization and parts retrieval.
- ◆ Wall-mounted units keep items out of the way, off the floor and off the work table
- ◆ Can be placed near work areas to improve productivity
- ◆ Heavy-duty steel for strength and durability
- ◆ Durable powder-coated finish



• Move easily with castors.

Louvered Panel Floor Stand

Louvered Panel Floor Stand												
Item No.	Rack Type	Shelf Dimension W*D*H(mm)	Panel No.	Qty	Bin Description							
					Item No.	Qty.	Item No.	Qty.	Item No.	Qty.	Item No.	Qty.
MGJ915S	Single	915×385×1554	3619	3	PK005	6	PK010	4	PK008	4	PK007	4
MGJ915D	Double	915×690×1554	3619	6	PK005	12	PK010	8	PK008	8	PK007	8
MGJ915M	Moving	915×690×1674	3619	6	PK005	12	PK010	8	PK008	8	PK007	8

Description

- ◆ Compatible with hanging bins to organize parts.
- ◆ Allow for fast, easy organization and parts retrieval.
- ◆ Wall mountable rail is ideal for supply rooms and workstations
- ◆ Heavy-duty steel for strength and durability
- ◆ Durable powder-coated finish



• Move easily with castors.

Hang Racks With Rails												
Item No.	Rack Type	Shelf Dimension W*D*H(mm)	Bin Description									
			Item No.	Qty.	Item No.	Qty.	Item No.	Qty.	Item No.	Qty.	Item No.	Qty.
MGG920S	Single	920×310×1540	PK005	6	PK008	4	PK007	4	PK015	6	PK014	6
MGG920D	Double	920×650×1540	PK005	12	PK008	8	PK007	8	PK015	12	PK014	12
MGG920M	Moving	920×650×1660	PK005	12	PK008	8	PK007	8	PK015	12	PK014	12

Description

- ◆ Compatible with shelf bins to organize parts.
- ◆ Improve workspace organization and efficiency.
- ◆ Adjust up and down with the unit allowance of 50mm.
- ◆ Reasonable structure and high bearing capacity.
- ◆ Durable, powder-coated finish.



● Move easily with castors.

Picking Racks													
Rack Type	Shelf Dimension W*D*H(mm)	Item No.	Shelf Qty. (layer)	Bin Description									
				Item No.	Qty.	Item No.	Qty.	Item No.	Qty.	Item No.	Qty.	Item No.	Qty.
Single Side	850×305×1542	MXM300S-6	6	SF3420	4	SF3220	12	SF3120	8	—	—	—	—
		MXM300S-7	7	SF3420	2	SF3220	8	SF3415	2	SF3215	8	SF3115	8
		MXM300S-8	8	SF3415	6	SF3215	12	SF3115	16	—	—	—	—
Double Sides	850×610×1572	MXM300D-6	6	SF3420	8	SF3220	24	SF3120	16	—	—	—	—
		MXM300D-7	7	SF3420	4	SF3220	16	SF3415	4	SF3215	16	SF3115	16
		MXM300D-8	8	SF3415	12	SF3215	24	SF3115	32	—	—	—	—
Moving	850×610×1692	MXM300M-6	6	SF3420	8	SF3220	24	SF3120	16	—	—	—	—
		MXM300M-7	7	SF3420	4	SF3220	16	SF3415	4	SF3215	16	SF3115	16
		MXM300M-8	8	SF3415	12	SF3215	24	SF3115	32	—	—	—	—
Single Side	890×380×1542	MXM400S-6	6	401020	8	451020	10	402820	6	402120	4	—	—
Double Sides	890×760×1572	MXM400D-6	6	401020	16	451020	20	402820	12	402120	8	—	—
Moving	890×760×1692	MXM400M-6	6	401020	16	451020	20	402820	12	402120	8	—	—

Description

- ◆ Stack & Nest Attached Lid Containers conserve space when empty.
- ◆ Comfortable handling design for easy lifting.
- ◆ Moving easily with dolly.
- ◆ Use with temperatures of -25°to 40°
- ◆ 100% recyclable.

Attached lid container PK5332&PK6040

- ◆ Flat side for logo print.
- ◆ Fixed steel wire lid.



Attached lid container PK64315&PK6436&PK6445

- ◆ Reinforced wall and base able to improve load capacity.
- ◆ Fixed steel wire lid.



Detached lid container PK5432

- ◆ Reinforced wall and base able to improve load capacity.
- ◆ Lid is separated from the body.



Item No.	Outer Dimension W×D×H(mm)	Outer Dimension W*D*H(inch)	Volume (L)	N.W. (kg)	Load capacity (kg)	Stack Load Capacity(kg)	Qty/20GP (pcs)	Qty/40HQ (pcs)
PK4326	400×300×260	15-7/10×11-4/5×10-1/4	20	1.4	30	120	2430	6120
PK5332	530×320×320	20-9/10×12-3/5×12-3/5	45	2.2	30	120	2205	5355
PK5432	545×335×325	21-1/2×13-1/5×12-3/4	45	2.2	30	150	1440	3500
PK64315	600×400×315	23-3/5×15-7/10×12-2/5	56	2.9	50	150	1122	2639
PK6433	600×400×330	23-3/5×15-7/10×13	60	3	50	150	1077	2500
PK6436	600×400×360	23-3/5×15-7/10×14-1/5	68	3	50	200	1077	2500
PK6445	600×400×450	23-3/5×15-7/10×15-7/10	80	3.2	50	200	1000	2400

Description

- ◆ Made of high-strength polypropylene with reinforced base.
- ◆ Stackable with or without lids for convenient storage and shipping.
- ◆ Nestable to save space when empty.
- ◆ Comfortable handling design for easy lifting.
- ◆ Available in 2 types: mesh crate and solid crate.
- ◆ Use with temperature of -25℃ to 40℃.



Available in ESD




Product Name	Item No.	Dimension W×D×H(mm)	Dimension W×D×H(mm)	N.W. (kg)	Load capacity (kg)	Stack Load Capacity(kg)	Qty/20GP (pcs)	Qty/40HQ (pcs)
Mesh Crate	PKMT6423	600×400×230	23-3/5×15-7/10×9	1.8	25	125	1122	2750
Mesh Crate	PKMT6430	600×400×300	23-3/5×15-7/10×11-4/5	2.1	30	150	1275	3080
Solid Crate	PKT6423	600×400×230	23-3/5×15-7/10×9	2	25	125	1122	2750
Mesh Crate	PKT6429	600×400×290	23-3/5×15-7/10×11-4/5	2.1	30	150	1275	3080

Description

- ◆ Made of high-strength polypropylene
- ◆ Collapsible and foldable design helps to save up to 75% space
- ◆ Comfortable hanging design for easy lifting
- ◆ Strong yet easy folding
- ◆ Use with temperature of -25℃ to 40℃




Features



Product Name	Item No.	Outer Dimension W×D×H(mm)	Inner Dimension W×D×H(mm)	Folding Dimension W×D×H(mm)	Lid	Qty/ctn	Qty/20GP (pcs)	Qty/40GP (pcs)
Folding crate	PK-4030325	400×300×325	365×265×315	400×300×90	N	10	2550	5300
	PK-533624	530×365×240	490×337×220	530×365×89	N	6	1824	3900
	PK-533625	530×365×250	490×337×220	530×365×90	Y	5	1520	3250
	PK-5336326	530×365×326	490×337×306	530×365×89	N	6	1824	3900
	PK-5336335	530×365×335	490×337×310	530×365×90	Y	5	1520	3250
	PK-6040295	600×400×295	560×365×280	600×400×70	N	7	1785	3710
	PK-6040308	600×400×308	560×360×290	600×400×85	N	6	1530	3180
	PK-6040295	600×400×295	560×360×280	600×400×70	N	7	1785	3710
	PK-6040308	600×400×308	560×360×290	600×400×85	N	6	1530	3180
	PK-6040318	600×400×318	560×360×290	600×400×95	Y	5	1275	2650
	PK-6040175	600×400×175	560×360×160	600×400×70	N	7	1785	3710
	PK-604021	600×400×210	560×360×185	600×400×105	Y	4	1020	2544
	PK-604024	600×400×240	560×360×230	600×400×70	N	7	1785	3710
	PK-604027	600×400×270	560×360×250	600×400×105	Y	4	1020	2544
	PK-604033	600×400×330	560×360×305	600×400×105	Y	4	1020	2544
	PK-6040345	600×400×345	560×360×330	600×400×85	N	6	1530	3180
	PK-6040368	600×400×368	560×360×345	600×400×105	Y	4	1020	2544
	PK-6040185	600×400×185	560×360×170	600×400×85	N	6	1530	3180
	PK-6040195	600×400×195	560×360×170	600×400×95	Y	5	1275	2650
	PK-6040255	600×400×255	560×360×240	600×400×85	N	6	1530	3180
	PK-6040265	600×400×265	560×360×240	600×400×95	Y	5	1275	2650
	PK-6040308	600×400×308	560×360×290	600×400×85	N	6	1530	3180
	PK-6040318	600×400×318	560×360×290	600×400×95	Y	5	1275	2650
	PK-6040345	600×400×345	560×365×330	600×400×85	N	6	1530	3180
	PK-6040355	600×400×355	560×360×330	600×400×95	Y	5	1275	2650
	PK-765850	760×580×500	720×525×475	760×580×114	N	4	576	1440
	PK-765852	760×580×520	720×525×475	760×580×130	Y	3	513	1080
Folding mesh crate	PK-4835255	480×350×255	450×325×240	480×350×58	N	12	3132	7296
	PK-4835265	480×350×265	450×325×235	480×350×68	Y	10	2610	6080
	PK-604024	600×400×240	560×360×225	600×400×70	N	7	1785	3710
	PK-6040255	600×400×255	560×360×240	600×400×85	N	6	1530	3180
	PK-6040265	600×400×265	560×360×240	600×400×95	Y	5	1275	2650
	PK-6040278	600×400×278	560×360×255	600×400×105	Y	4	1020	2544
	PK-604034	600×400×340	560×360×313	600×400×95	Y	5	1275	2650
	PK-604035	600×400×350	560×360×330	600×400×105	Y	4	1020	2544
	PK-604032	600×400×320	560×360×305	600×400×70	N	7	1785	3710
	PK-6040330	600×400×330	560×360×313	600×400×85	N	6	1530	3180
	PK-805850	800×580×500	750×525×487	800×580×114	N	4	500	1296
	PK-6333257	630×330×257	605×305×237	630×330×58	N	10	2100	4880

Description

- ◆ Made of high-strength polypropylene with reinforced base and sides.
- ◆ Straight wall to provide efficient internal space.
- ◆ Smooth inner design for easy cleaning.
- ◆ Stackable with various sizes.
- ◆ Use with temperature of -25 ℃ to 40 ℃



Available in ESD

Specifications

Item No	Outer Dimension W×D×H(mm)	Inner Dimension W×D×H(mm)	Outer Dimension W×D×H(inch)	Inner Dimension W×D×H(inch)	Volume (L)	Weight	Load cap. (kg)	Stack Load cap. (kg)	Qty/20GP (pcs)	Qty/40HQ (pcs)
PK-A2	300×200×148	260×160×130	11-4/5×7-9/10×5-4/5	10-1/5×6-3/10×5-1/10	5.4	0.54+0.22(lid)	10	50	3200	7040
PK-B2	400×300×148	355×260×130	15-7/10×11-4/5×5-4/5	14×10-1/5×5-1/10	12	0.95+0.41(lid)	20	100	1600	3520
PK-C2	400×300×280	355×260×260	15-7/10×11-4/5×11	14×10-1/5×10-1/5	24	1.58+0.41(lid)	25	125	800	1760
PK-D2	600×400×280	555×365×260	23-3/5×15-7/10×11	21-9/10×14-2/5×10-1/5	52.7	2.64+0.81(lid)	40	200	400	880
PK-F	600×400×220	560×360×210	23-3/5×15-7/10×8-7/10	22×14-1/5×8-3/10	42.3	2.2+0.83(lid)	45	225	350	770
PK-G	600×400×320	560×360×310	23-3/5×15-7/10×12-3/5	22×14-1/5×12-1/5	62.5	2.95	45	225	364	856
PK-H2	600×400×148	555×365×125	23-3/5×15-7/10×5-4/5	21-9/10×14×4-9/10	25.3	1.59+0.8(lid)	30	150	800	1760
PK-J	400×300×220	355×260×210	15-7/10×11-4/5×8-7/10	14×10-1/5×8-3/10	18.5	1.4+0.43(lid)	25	125	500	1100

Features



Reinforced base

Label holder A

Label holder B

Specifications

Item No.	Ourter Dimension W×D×H(mm)	Inner Dimensions W×D×H(mm)	Outer Dimension W*D*H(inch)	Inner Dimensions W*D*H(inch)	Volume (L)	Weight	Loading (kg)	Stack Load (kg)	Qty/ 20GP (pcs)	Qty/ 40HQ (pcs)
PK-2311	300×200×120	265×165×110	11-4/5×7-9/10×4-7/10	10-2/5×6-1/2×4-3/10	4.0	0.5	10	50	3888	9444
PK-23148	300×200×148	265×165×140	11-4/5×7-9/10×4-4/5	10-2/5×6-1/2×5-1/2	5.1	0.55	15	75	3153	7657
PK-4311	400×300×120	365×265×110	15-7/10×11-4/5×4-7/10	14-2/5×10-2/5×4-3/10	9.1	0.8	15	75	1944	4722
PK-43148	400×300×148	365×265×140	15-7/10×11-4/5×5-4/5	14-2/5×10-2/5×5-1/2	11.8	0.9	15	75	1576	3628
PK-4316	400×300×170	365×265×160	15-7/10×11-4/5×6-7/10	14-2/5×10-2/5×6-3/10	13.6	1	20	90	1372	3333
PK-4322	400×300×230	365×265×220	15-7/10×11-4/5×9	14-2/5×10-2/5×8-7/10	19.0	1.2	20	100	1014	2463
PK-4328	400×300×280	365×265×270	15-7/10×11-4/5×11	14-2/5×10-2/5×10-3/5	23.5	1.3	20	100	686	1666
PK-4333	400×300×340	365×265×330	15-7/10×11-4/5×13-2/5	14-2/5×10-2/5×13	29.0	1.55	30	110	686	1666
PK-4611	600×400×120	565×365×110	23-2/5×15-7/10×4-7/10	22-1/5×14-2/5×4-3/10	19.7	1.35	20	100	972	2361
PK-46148	600×400×148	565×365×140	23-2/5×15-7/10×5-4/5	22-1/5×14-2/5×5-1/2	25.6	1.6	25	100	788	1914
PK-4616	600×400×170	565×365×160	23-2/5×15-7/10×6-7/10	22-1/5×14-2/5×6-3/10	29.6	1.6	25	100	788	1914
PK-4622	600×400×230	565×365×220	23-2/5×15-7/10×9	22-1/5×14-2/5×8-7/10	41.4	1.9	25	100	507	1232
PK-4628	600×400×280	565×365×270	23-2/5×15-7/10×11	22-1/5×14-2/5×10-3/5	51.2	2.3	25	100	417	1011
PK-4633	600×400×340	565×365×330	23-2/5×15-7/10×13-2/5	22-1/5×14-2/5×13	63.0	2.8	25	120	343	833
PK-4644	600×400×450	565×365×440	23-2/5×15-7/10×17-7/10	22-1/5×14-2/5×17-3/10	84.7	4.05	30	125	259	629
PK-4822	800×400×230	765×365×220	31-1/2×15-7/10×9	30-1/10×14-2/5×8-7/10	56.2	2.9	25	130	380	923
PK-4833	800×400×340	765×385×330	31-1/2×15-7/10×13-2/5	30-1/10×15-1/5×13	85.7	3.4	25	125	257	625
PK-8611	800×600×120	765×565×110	31-1/2×23-3/5×4-7/10	30-1/10×22-1/5×4-3/10	41.0	2.6	20	125	486	1180
PK-8622	800×600×230	765×565×220	31-1/2×23-3/5×9	30-1/10×22-1/5×8-7/10	88.0	3.5	30	100	253	616
PK-8628	800×600×280	765×565×270	31-1/2×23-3/5×11	30-1/10×22-1/5×10-3/5	108.9	4	30	150	208	506
PK-8633	800×600×340	765×565×330	31-1/2×23-3/5×13-2/5	30-1/10×22-1/5×13	134.0	4.6	35	150	172	417
PK-8644	800×600×450	765×565×440	31-1/2×23-3/5×17-7/10	30-1/10×22-1/5×17-3/10	180.8	5.95	40	175	130	315
PK-4911	900×400×120	865×365×110	35-2/5×15-7/10×4-7/10	34×14-2/5×4-3/10	30.4	2.05	30	200	648	1574
PK-4922	900×400×230	865×365×220	35-2/5×15-7/10×9	34×14-2/5×8-7/10	63.7	2.8	30	150	338	821
PK-41028	1000×400×280	965×365×270	39-2/5×15-7/10×11	38-14-2/5×10-3/5	71.2	4	35	150	250	607
PK-41211	1200×400×120	1165×365×110	47-1/4×15-7×4-7/10	45-9/10×14-2/5×4-3/10	41.0	2.8	25	175	486	1180
PK-41222	1200×400×230	1165×365×220	47-1/4×15-7×9	45-9/10×14-2/5×8-7/10	90.2	4	30	125	253	616
PK-41233	1200×400×340	1165×365×330	47-1/4×15-7×13-2/5	45-9/10×14-2/5×13	131.0	4.85	35	150	172	416
PK-41244	1200×400×450	1165×365×440	47-1/4×15-7×17-7/10	45-9/10×14-2/5×17-3/10	180.5	7	35	175	129	314

Description


- ◆ Platform is made of light-weight,high-density structural form.
- ◆ Two fixed,two swivel noiseless casters for easy movement.
- ◆ Strong,light,with high load capacity.
- ◆ Available in various sizes & types.
- ◆ Improve productivity and efficiency in a wide range of applications.



- ◆ Specially designed rubber castors for smooth and quiet moving.




- ◆ Plastic platform



- ◆ Noiseless castor
Castor frame are made of nylon,which allowing to be wearproof,anticaustic and strong specially designed rubber castor for smooth and quiet moving,wear resistance and strong resistance to impact.



- ◆ Castor details





Specifications

Product Name	Item No.	Platform Dimension L×W (mm)	Top platform height (mm)	Bottom platform height (mm)	Handle height (mm)	Dia. Of castor (mm)	N.W. (kg)	Load Cap. (kg)	QTY/20'GP (pcs)	QTY/40'HQ (pcs)
Fixed handle	PLA200M1	825 x 500	—	180	860	100	11	200	294	693
	PLA250	825 x 500	—	215.00	890	130	12	250	267	641
	PLA250Y	825 x 500	—	215.00	890	130	12	250	267	641
	PLA300	910 x 600	—	220	890	130	16	300	208	494
	PLA300Y	910 x 600	—	220	890	130	17	300	208	494
	JACK300	920 x 620	—	220	890	130	20	300	208	494
Foldable handle	PLA150-DX	730 x 490	—	170	890	100	11.5	150	352	836
	PLA150Y-DX	720 x 456	—	145.5	860	100	9	150	414	954
	JACK150-DX	745 x 485	—	150	810	100	11.5	150	352	836
	PLA200M1-DX	825 x 500	—	180	860	100	12	200	294	693
	JACK200N-DX	800 x 520	—	200	870	130	14.5	200	267	641
	PLA250-DX	825 x 500	—	215	890	130	13	250	267	641
	PLA250Y-DX	825 x 500	—	215	890	130	13	250	267	641
	PLA300-DX	910 x 600	—	220	890	130	17	300	208	494
	PLA300Y-DX	910 x 600	—	220	890	130	18	300	208	494
	JACK300-DX	920 x 620	—	220	890	130	21	300	208	494
Two platforms	PLA150-T2	730 x 490	680	170	860	100	14	150	352	836
	PLA150Y-T2	720 x 456	641	145.5	821	100	11	150	352	836
	JACK150-T2	745 x 485	650	150	830	100	17.2	150	352	836
	PLA250-T2	825 x 500	725	215	915	130	19.5	250	222	515
	PLA250Y-T2	825 x 500	750	215	915	130	19.5	250	222	515
	PLA300-T2	910 x 600	730	220	920	130	25.5	300	179	421
	PLA300Y-T2	910 x 600	730	220	920	130	26.5	300	179	421
Three platforms	JACK150-T3	745 x 485	650	150	830	100	23.4	150	292	672
Stainless fixed handle	PLA300ST	910 x 600	—	220	890	130	16	300	208	494
Stainless foldable handle	PLA150ST-DX	730 x 490	—	170	890	100	11.5	150	352	836
	PLA300ST-DX	910 x 600	—	220	890	130	17	300	208	494

Description

- ◆ Ideal for container moving.
- ◆ Swivel castors provide easy and smooth rolling.
- ◆ Light weight and easy installation.
- ◆ Available in custom size.



Specifications

Item No	Outer Dimension W×D×H(inch)	Dimension W*D*H(inch)	Container Model	Load Capacity (kg)
PKD-B	410×310×140	16-1/10×12-1/5×5-1/2	PK-B2/PK-C2	120
PKD-D	610×410×140	24×16-1/10×5-1/2	PK-D2/PK-H2	120
PKD-6040	520×350×140	20-1/2×13-4/5×5-1/2	PK6040	120

New Dolly

